Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4	("713"/$.ccls. or "709"/$.ccls. or "380"/$.ccls. or "726"/$.ccls.) and ((nic or "network interface card" or "network element" or "service module") with (agent$ or program$ or configur$ or provision$ or initializ$)) and ($crypt$ or $cipher$) and "encrypted password"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 14:40
L2	5	("713"/$.ccls. or "709"/$.ccls. or "380"/$.ccls. or "726"/$.ccls.) and ((nic or "network interface card" or "network element" or "service module") with (agent$ or program$ or configur$ or provision$ or initializ$) with (activat$ or enable or condition)) and ($crypt$ or $cipher$) and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 14:44
L3	31	("713"/$.ccls. or "709"/$.ccls. or "380"/$.ccls. or "726"/$.ccls.) and ((nic or "network interface" or "network element" or "service module" or plug$in) with (agent$ or program$ or configur$ or provision$ or initializ$) with (activat$ or enable or condition)) and ($crypt$ or $cipher$) and (token or certificat$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 14:48
L4	66	("713"/$.ccls. or "709"/$.ccls. or "380"/$.ccls. or "726"/$.ccls.) and ((nic or "network interface" or "network element" or "service module" or plug$in or embedded) with (agent$ or program$ or configur$ or provision$ or initializ$) with (activat$ or enable or condition)) and ($crypt$ or $cipher$) and (token or certificat$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 14:51
L5	137	((nic or "network interface" or "network element" or "service module" or plug$in or embedded) with (agent$ or program$ or configur$ or provision$ or initializ$) with (activat$ or enable or condition)) and ($crypt$ or $cipher$) and (token or certificat$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 14:53
L6	107	((nic or "network interface" or "network element" or "service module" or plug$in or embedded) with (agent$ or program$ or configur$ or provision$ or initializ$) with (activat$ or enable or condition)) and ($crypt$ or $cipher$) and (token or certificat$)	US-PGPUB	OR	OFF	2006/01/05 14:53

S1	3	(713/200-201.ccls. and 709/220-229. ccls.) and ((nic or "network interface card") with program$) and ($crypt$ or $cipher$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/18 12:32
S2	50	(713/200-201.ccls. or 709/220-229. ccls.) and ((nic or "network interface card") with program$) and ($crypt$ or $cipher$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/18 12:33
S3	88	(713/200-201.ccls. or 709/220-229. ccls.) and ((nic or "network interface card") with (program$ or configur$ or provision$ or initializ$)) and ($crypt$ or $cipher$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/19 12:02
S4	19	(713/200-201.ccls. or 709/220-229. ccls.) and ((nic or "network interface card") adj3 (program$ or configur$ or provision$ or initializ$)) and ($crypt$ or $cipher$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/18 12:44
S5	0	("713"/$.ccls. or "709"/$.ccls.) and ((nic or "network interface card") adj3 (program$ or configur$ or provision$ or initializ$)) and ($crypt$ or $cipher$) and ((port or "serial interface") adj2 (enable or disable))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/18 12:47
S6	0	("713"/$.ccls. or "709"/$.ccls.) and ((nic or "network interface card") adj3 (program$ or configur$ or provision$ or initializ$)) and ($crypt$ or $cipher$) and ((port or "serial interface") with (enable or disable))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/18 12:48
S7	2	((nic or "network interface card") adj3 (program$ or configur$ or provision$ or initializ$)) and ($crypt$ or $cipher$) and ((port or "serial interface") with (enable or disable))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/18 12:49
S8	30	((nic or "network interface card") with (program$ or configur$ or provision$ or initializ$)) and ($crypt$ or $cipher$) and ((port or "serial interface") with (enable or disable))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/18 12:51
S9	31	((nic or ("network interface" adj1 (card or controller$))) with (program$ or configur$ or provision$ or initializ$)) and ($crypt$ or $cipher$) and ((port or "serial interface") with (enable or disable))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/18 13:06

S10	5	((enable or disable) adj3 (nic or ("network interface" adj1 (card or controller$))) same (program$ or configur$ or provision$ or initializ$)) and ($crypt$ or $cipher$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/18 13:08
S11	1	(713/200-201.ccls. or 709/220-229. ccls.) and ((nic or "network interface card") with (program$ or configur$ or provision$ or initializ$)) and ($crypt$ or $cipher$) and "encrypted password"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 14:36
S12	3	((nic or "network interface card") with (program$ or configur$ or provision$ or initializ$)) and ($crypt$ or $cipher$) and "encrypted password"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/19 12:04